




Ensure the product quality from the start
Professional manufacturer various styles Customization



Innovative facestocks and
films optimal for UV inkjet printing





With Rightint UV coating

No UV coating



With Rightint UV coating



No UV coating



UV Inkjet Product Information ←

Spec.#	Facestock	Adhesive	Liner	▼
UV0105W21	80gsm UV inkjet semi glossy paper	water-based	60gsm white glassine liner	
UV0207W21	60mic UV inkjet glossy white PP film	water-based	60gsm white glassine liner	
UV0307W21	75mic UV inkjet matte white PP paper	water-based	60gsm white glassine liner	
UV0407W21	50mic UV inkjet transparent PP film	water-based	60gsm white glassine liner	
UV0507W21	50mic UV inkjet glossy silver PET film	water-based	60gsm white glassine liner	
UV0607W21	50mic UV inkjet matte silver PET film	water-based	60gsm white glassine liner	
UV0707W21	50mic UV inkjet plain holographic PP film	water-based	60gsm white glassine liner	



These label Materials meet requirements for demanding applications in many markets, such as industrial machine and equipment manufacturing, appliances, electrical and electronics, automotive, medical devices, and more.

UV COATING PP/PET Clear,Glossy,Matte,Metalized
For the digital quality and recognition you need
indoors and out.

Printer: Jetrion 4000,
4830 and 4900

Inks: Jetrion 4000
4830 Series Ink
(CMYK)

Printer: Durst Tau 150,
150 8C, 330

Inks: Durst Tau Inkjet
Series Ink
(CMYK)

Printer: CSAT ITS 6000

Inks: Agfa Agora G1
Inkjet Series Ink
(CMYK)

Printer: Atlantic Zeiser
Omega 72i

Inks: UV-A Inkjet
Series Ink
(Black)

Printer: Atlantic Zeiser
Gamma 70P

Inks: UV-A Inkjet
Series Ink
(CMYK)



XEIKON **PULISI** **DOMINO** **HandTop** **durst**





No glue overflow



The edges of the rolls are neat and clean without any glue overflow



**Superior waterproof
Quick-drying**



Advantages



**OEM
size**

max 2000mm width

max 9000m length

Different specifications and sizes
can be customized according to your needs

Stretch film encapsulation
prevents dust

Stretch film protection



5-layer corrugated box to protect
label material from damage

Carton can be customized
with your logo





Company Strength



13.5 acre total area of the factory owned, adequate production capacity



Sufficient inventory and guaranteed delivery



Strictly control the production process to ensure quality